

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40950	(deflect\$5 twist\$5 bend\$5 deform\$5) near3 (upright vertical tower )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:01
L2	2780	1 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:01
L3	2300	2 and (monitor\$5 detect\$5 sens\$5 measur\$5 transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:02
L4	50	(deflect\$5 twist\$5 bend\$5 deform\$5) near3 (upright vertical tower ) near3 (structure).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:17
L5	4	4 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:04
L6	4	5 and (monitor\$5 detect\$5 sens\$5 measur\$5 transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:04
L7	516	(deflect\$5 twist\$5 bend\$5 deform\$5) near3 (upright vertical tower ) near3 (structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:08
L8	38	7 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:09
L9	33	8 and (monitor\$5 detect\$5 sens\$5 measur\$5 transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:09
L10	10	"5850185" "4730928"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:06
L11	3029	(deflect\$5 twist\$5 bend\$5 deform\$5) near3 (tower building )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:12
L12	973	11 and (monitor\$5 detect\$5 sens\$5 measur\$5 transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:12

L13	116	12 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L14	216	(deflect\$ twist\$ bend\$ deform\$) near3 (tower building ). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:12
L15	108	14 and (monitor\$ detect\$ sens\$ measur\$ transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:20
L16	14	15 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:12
L17	947	(deflect\$ twist\$ bend\$ distort\$ contort\$ deform\$) near3 (upright perpendicular vertical tower building ) near3 (structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:28
L18	7282	(deflect\$ twist\$ bend\$ distort\$ contort\$ deform\$) near3 (upright perpendicular vertical tower building ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:28
L19	76	17 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:22
L20	65	19 and (monitor\$ detect\$ sens\$ measur\$ transducer )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:20
L21	65	19 and (monitor\$ detect\$ sens\$ measur\$ transducer ECU CPU computer processor microprocessor microcomputer calculat\$ )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:22
L22	700	18 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:22
L23	591	22 and (monitor\$ detect\$ sens\$ measur\$ transducer ECU CPU computer processor microprocessor microcomputer calculat\$ )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L24	506	23 and (beam)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:23

L25	439	24 and (target object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L26	85	25 and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:26
L27	77	26 and (imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:23
L28	25	27 and (pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:27
L29	29	"5850185" "4730928" "4334775" "5790327" "6704163"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:26
L30	3	29 and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L31	17	17 and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:27
L32	10	31 and (pixel imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L33	56179	(deflect\$5 twist\$5 bend\$5 distort\$5 contort\$5 deform\$5) near3 (upright perpendicular vertical tower building )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:30
L34	3336	33 and (camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L35	2728	34 and (pixel imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L36	834	35 and (laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29

L37	816	36 and (monitor\$5 detect\$5 sens\$5 measur\$5 transducer ECU CPU computer processor microprocessor microcomputer calculat\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L38	734	37 and (target object)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:29
L39	239	38 and (upright perpendicular vertical tower building ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:30
L40	133	39 and (tube)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:30
L41	90	40 and (base)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/25 16:31